

ಗ್ರಾಮ್/Grams : "ಜಲರಕ್ಷ" "Jalaraksha"
ಫ್ಯಾಕ್ಸ್/Fax : 080-25586321
ಈಮೇಲ್/E-mail : kspcbcom@blr.vsnl.net.in



25581383, 25581388
25588151, 25588270
25588142, 25586520
ವೆಬ್‌ಸೈಟ್/Website : http://kspcb.kar.nic.in

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
Karnataka State Pollution Control Board

ನಂ. 49, ಪಂಪರಭವನ
4 ಮತ್ತು 5ನೇ ಅಂತಸ್ತು, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್,
ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ, ಭಾರತ

#49, Parisara Bhavan
4th & 5th Floor, Church Street,
Bangalore - 560 001, Karnataka, INDIA

NO:KSPCB/80(vol-3)/CC/2008-09/349

DATE:17-05-2008

CIRCULAR

17 MAY 2008

Sub: Simplification of procedure for issue of consent for installation of new/additional DG Sets by existing industries -reg.

---0---

Issues relating to simplification of procedures in order to reduce paper work were discussed at length during the Regional Officers meeting held on 10-1-2008. Some of the decisions taken during the meeting have already been implemented. In line with the above, the following simplified procedure is prescribed for issuing consents for installation of new or additional DG Sets in existing industries with immediate effect until further orders.

ORDER

- If any industry/organization having valid consent installs/proposes to install a new or additional DG Set, during the currency of the consent then they may furnish the details of the DG Set through a letter for approval of Board. Based on that letter an addendum could be issued to the already valid consent.
- No fee be insisted if the capacity of the DG Set is less than 1000 KVA. Also before issuing addendum the Regional Officer concerned should examine whether the location of the DG Set is appropriate and whether necessary acoustic measures have been proposed/provided.

To:


MEMBER SECRETARY