

ಫ್ಯಾಕ್ಸ್ / Fax : 080-25586321  
ಈಮೇಲ್ / E-mail : ho@kspcb.gov.in  
ವೆಬ್‌ಸೈಟ್ / Website : http://kspcb.gov.in



25581383, 25589112  
25588151, 25588270  
25588142, 25586520

## ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ Karnataka State Pollution Control Board

"ಪರಿಸರಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ.49, ಚರ್ಚ್‌ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ, ಭಾರತ  
"Parisara Bhavana", 1st to 5th Floor, # 49, Church Street, Bengaluru - 560 001, Karnataka, INDIA

KARNATAKA STATE POLLUTION CONTROL BOARD  
No. 49, Parisara Bhavan, Church Street, Bangalore - 560001  
PH No. 080-25581383/ 25589112

No. KSPCB/56 /BLD/2013-14/3105

Dated: 14 AUG 2013

### CORRIGENDUM

The following amendments with respect to the Tender for appointment of consultant for CETP at Bellary vide Tender Notification No. KSPCB/56/BLD/2013-14/1792, Dated: 15.07.2013 is as under.

In Tender bid document vide page7/45 General Conditions Item(a) shall be read as.,

- Documentary proof in the form of client certificate shall be submitted along with the bid. Out of the above at least one tertiary treatment / Biological Nutrient removal treatment plant of 5 MLD should have been done in Karnataka/India instead of Bangalore only.
- No joint venture entertained
- In Section 4 Terms of Reference Para 4.4.4 read as 90 days instead of 45 days.

For more details, please refer e-procurement web site: [http:// www.eproc.karnataka.gov.in](http://www.eproc.karnataka.gov.in),

Sd/-  
**MEMBER SECRETARY.**

Copy to:

1. The Chief Finance Officer, KSPCB for information.
2. Environmental Officer, Bellary for information and necessary action.
3. The Public Relation Officer, KSPCB for information and to publish in two leading news papers (Kannada & English).
4. Computer Cell to publish in KSPCB Web-site.
5. Spare.

  
**ASSISTANT EXECUTIVE ENGINEER(BLDG)**